Amendments To the Claims

Please amend claims 1, 5, 7, 11 and 13 as follows.

SWD

1. (currently amended): A method comprising:

Br

creating a first window to receive dynamic video content which at least partially overlaps a second window on a region of overlap of a display; setting the pixels of the first window to a chroma color; setting background pixels of the second window in the region of overlap to the chroma color; and

configuring the second window to draw after the first window.

2 (original): The method of claim 1 further comprising: configuring the first and second windows as children of a common parent window.

21

3 (original): The method of claim 1 further comprising: configuring the second window to receive user interface events.

4 (original): The method of claim 1 in which configuring the second window to draw after the first window further comprises:

setting the style of the second window to transparent.

Br

5. (currently amended): A method comprising:

creating a first window which at least partially overlaps a second window in a region of overlap on a display;

configuring the first and second windows to move correspondingly to one another;

Bi

configuring the first and second windows such that the region of overlap is always drawn first with a chroma color and then drawn with other colors representing window elements; and rendering dynamic video content only to areas of the region of overlap which have the chroma color

DI

6 (original): The method of claim 5 further comprising:

configuring one of the first and second windows to receive user interface events.

7. (currently amended): An article comprising:

a memory having stored thereon instructions which, when executed by a processor, result in

creating a first window to receive <u>dynamic</u> video <u>content</u> which at least partially overlaps a second window on a region of overlap of a display;

setting the pixels of the first window to a chroma color;

setting background pixels of the second window in the region of overlap to the chroma color; and

configuring the second window to draw after the first window.

)\

8 (original): The article of claim 7 in which the instructions, when executed by the processor, further result in:

configuring the first and second windows as children of a common parent window.

9 (original): The article of claim 7 in which the instructions, when executed by the processor, further result in:

configuring the second window to receive user interface events.

P (

10 (original): The article of claim 7 in which the instructions, when executed by the processor to configure the second window to draw after the first window, result in:

setting the style of the second window to transparent.

11. (currently amended): An article comprising:

34

a memory having stored thereon instructions which, when executed by a processor, result in

creating a first window which at least partially overlaps a second window in a region of overlap on a display;

configuring the first and second windows to move correspondingly to one another; configuring the first and second windows such that the region of overlap is always drawn first with a chroma color and then drawn with other colors representing window elements; and rendering dynamic video content only to areas of the region of overlap which have the

chroma color.

12 (original): The article of claim 11 in which the instructions, when executed by the processor, further result in:

configuring one of the first and second windows to receive user interface events.

13 (currently amended): A system comprising:

B5

a processor;

10

a memory coupled to the processor by way of a bus, the memory having stored thereon instructions which, when executed by a processor, result in

creating a first window which at least partially overlaps a second window in a region of overlap on a display;

configuring the first and second windows to have a common parent window;

configuring the first and second windows such that the region of overlap is always drawn

first with a chroma color and then drawn with other colors representing window

elements; and

rendering dynamic video content only to areas of the region of overlap which have the

chroma color.

14 (original): The system of claim 13 in which the instructions, when executed by the processor, further result in:

configuring one of the first and second windows to receive user interface events.

15 (original): The system of claim 13 in which the instructions, when executed by the processor to configure the first and second windows such that the region of overlap is always drawn first with a chroma color and then drawn with other colors representing window elements, result in: setting the style of one of the first and the second windows to transparent.





